



BSA-62425 or BSA-61225








SPECIFICATIONS

- TYPE: ----- DIGITAL
- DISPLAY: ----- 6-DIGIT, 7 SEGMENT **RED** SUPER BRIGHT LED
- CHARACTER HEIGHT: ---- 2.5" (63.5 mm) HR/MIN and 1.8" (45.72 mm) SEC
- VISIBILITY: ----- 150 Ft. (45.72 Meters)
- POWER REQUIREMENTS: 100-240V 50~60Hz (**12vdc Switching Transformer**)
- FRAME: ----- ALUMINUM (**BLACK ANODIZED FINISH**)
- DIMENSIONS: ----- 6.25" x 18.25" x 1.5"
- WEIGHT: ----- 5 lb
- OPERATING TEMP.: ----- -17° TO 190° F
- HUMIDITY: ----- 0% TO 95% NON-CONDENSING
- OPERATING MODE:----- AUTOMATIC DAY LIGHT SAVINGS, 31 TIME ZONES, 10yr BACKUP
WITH 1sec a YEAR ACCURACY, NON-GLARE LENS, EYELET AND SAW TOOTH SURFACE MOUNT

ALL CLOCKS US THE DALLAS DS32 SERIES RTC PARTS, AND OUR FIRMWARE CONTROL, TO GET THE ONE SEC A YEAR ACCURACY. **World's Most Accurate RTC**



NEW 1 SEC A YEAR ACCURATE (TCXO)



- 12 OR 24 HOUR FORMAT
- NON GLARE LENS
- SUPER BRIGHT LEDS
- ALUMINUM FRAME
- 10 YEAR LITHIUM BATTERY BACKUP (**Standard**)
- AUTOMATIC DAY LIGHT CORRECTION (**Standard**)
- ONE SEC A YEAR ACCURACY (TCXO) (**Standard**)

